

**APPLICATION FOR UNITED STATES LETTER PATENT**  
**FOR**  
**METHOD AND APPARATUS TO MONITOR USE OF A PROGRAM**

**Inventor(s): Eric Remer  
David King  
David Remer  
Bradley Mitchell**

**Prepared By: John F. Kacvinsky  
Senior Patent Attorney**

**intel.**

**Intel Corporation  
3500 Brooktree Road, Suite 100  
Wexford, PA 15090  
Phone: (724) 933-3387  
Facsimile: (724) 933-3350**

“Express Mail” label number EL034437016US

## METHOD AND APPARATUS TO MONITOR USE OF A PROGRAM

### BACKGROUND

5 Software programs are easily duplicated using conventional copying technologies.

A software program typically comprises a set of instructions that are typically stored in some form of machine-readable media, such as magnetic disk, optical disk, random-access memory (RAM), read-only memory (ROM), and so forth. The task of copying these instructions from one machine-readable media to another is relatively trivial, and  
10 may be accomplished any number of ways.

Consequently, various technologies have been developed to control and manage the use of software. One goal of these technologies may be to facilitate the distribution and use of software by authorized users, while minimizing or preventing use of the software by unauthorized users. The term “authorized” may refer to those users  
15 permitted to use the software, while “unauthorized” may refer to those users not permitted to use the software. Basis for permission may be, for example, contingent upon paying a fee for use of the program.

One type of technology used to control and manage the distribution and use of software may be generally referred to as a “permission-based” technology. In  
20 permission-based technology, the program may have a user enter a passcode prior to allowing the program to execute. The passcode typically comprises a unique combination of alphanumeric characters or symbols. Thus, even if a user were to retrieve an unauthorized copy of the program, it would not operate without the appropriate passcode.

Permission-based technologies, however, are unsatisfactory for a number of reasons. For example, the user may have to undertake the administrative burden of retrieving the passcode prior to using a program. In addition, the user may have to enter the passcode prior to every use of the program. This may be tedious and time-consuming for the user, especially if they make frequent use of the protected software. Moreover, these administrative tasks may become much more burdensome when multiple copies of the program are being executed on multiple machines, such as in a corporate or network environment. Further, if the passcode was compromised unauthorized users may use the passcode to activate illegally copied versions of the software program.

In view of the foregoing, it can be appreciated that a substantial need exists for a method and/or apparatus that solves the above-discussed problems.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The subject matter regarded as embodiments of the invention is particularly pointed out and distinctly claimed in the concluding portion of the specification. Embodiments of the invention, however, both as to organization and method of operation, together with objects, features, and advantages thereof, may best be understood by reference to the following detailed description when read with the accompanying drawings in which:

FIG. 1 is a system suitable for practicing one embodiment of the invention.

FIG. 2 is a block diagram of a system in accordance with one embodiment of the invention.

FIG. 3 is a block flow diagram of the programming logic performed by a managing program module in accordance with one embodiment of the invention.

FIG. 4 is a block flow diagram of the programming logic performed by a monitored program module in accordance with one embodiment of the invention.

5 FIG. 5 is a block flow diagram of the programming logic performed by a monitoring program module in accordance with one embodiment of the invention.

### DETAILED DESCRIPTION

10 In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the embodiments of the invention. It will be understood by those skilled in the art, however, that the embodiments of the invention may be practiced without these specific details. In other instances, well-known methods, procedures, components and circuits have not been described in detail so as not to  
15 obscure the embodiments of the invention.

The embodiments of the invention comprise a method and apparatus to securely monitor use of a software program over a network. More particularly, the embodiments of the invention may authorize use of a software program, monitor the use of a software program, and measure the time the software program is in authorized use. The owner  
20 may use the measured time for any number of purposes, such as reporting, billing, tracking and so forth.

The embodiments of the invention may reduce the disadvantages associated with conventional permission-based technologies. For example, the user may no longer need

to procure and input a passcode prior to using the software program. This may potentially reduce the administrative burden on an authorized user, as well as the risk of a passcode being utilized by unauthorized users. In another example, the costs or fees for use of the software program may vary as usage varies, to more accurately reflect the true commercial value of the software program. This may provide advantages over previous techniques that attempt to gain value from the software program by, for example, selling a single or multi-user license for the software program.

It is worthy to note that any reference in the specification to “one embodiment” or “an embodiment” means that a particular feature, structure, or characteristic described in connection with the embodiment is included in at least one embodiment of the invention. The appearances of the phrase “in one embodiment” in various places in the specification are not necessarily all referring to the same embodiment.

Referring now in detail to the drawings wherein like parts are designated by like reference numerals throughout, there is illustrated in FIG. 1 a system suitable for practicing one embodiment of the invention. FIG. 1 is a block diagram of a system 100 comprising a network 102, a network 114 and a network server 118. In one embodiment of the invention, network 102 may comprise network nodes 104, 106 and 108, with each capable of communicating with each other over a communication medium 110. Network nodes 104, 106 and 108 may comprise, for example, a personal computer, server, network appliance, gateway, router, switch and so forth. Network 102 may be capable of communicating with network 114 over communication medium 112. Network 114 may comprise one or more network nodes (not shown) that are capable of communicating information from network 102 to network server 118. Network 114 may be capable of

communicating with network server 118 over communication medium 116. In this embodiment of the invention, network 100 and its various component parts may be configured to operate in accordance with any number of networking technologies, and may include, for example, the various hardware, software and connectors necessary to communicate information between network nodes. In one embodiment of the invention, network 100 is configured to communicate information in accordance with the Transmission Control Protocol (TCP) as defined by the Internet Engineering Task Force (IETF) standard 7, Request For Comment (RFC) 793, adopted in September, 1981, and the Internet Protocol (IP) as defined by the IETF standard 5, RFC 791, adopted in September, 1981, both available from "[www.ietf.org](http://www.ietf.org)" ("TCP/IP Specification").

FIG. 2 is a block diagram of a system 200 in accordance with one embodiment of the invention. System 200 may be representative of a network node, such as network nodes 104, 106 and 108, and network server 118, for example. As shown in FIG. 2, system 200 includes a processor 202, an input/output (I/O) adapter 204, an operator interface 206, a memory 210 and a disk storage 218. Memory 210 may store computer program instructions and data. The term "program instructions" may include computer code segments comprising words, values and symbols from a predefined computer language that, when placed in combination according to a predefined manner or syntax, cause a processor to perform a certain function. Examples of a computer language may include C, C++, lisp and assembly. Processor 202 executes the program instructions, and processes the data, stored in memory 210. Disk storage 218 stores data to be transferred to and from memory 210. I/O adapter 204 communicates with other devices and transfers data in and out of the computer system over connection 224. Operator interface

206 may interface with a system operator by accepting commands and providing status information. All these elements are interconnected by bus 208, which allows data to be intercommunicated between the elements. I/O adapter 204 represents one or more I/O adapters or network interfaces that can connect to local or wide area networks such as, for example, the networks described in FIG. 1. Therefore, connection 224 represents a network or a direct connection to other equipment.

Processor 202 can be any type of processor capable of providing the speed and functionality required by the embodiments of the invention. For example, processor 202 could be a processor from family of processors made by Intel Corporation, Motorola Incorporated, Sun Microsystems Incorporated, Compaq Computer Corporation and others. Processor 202 may also comprise a digital signal processor (DSP) and accompanying architecture, such as a DSP from Texas Instruments Incorporated.

In one embodiment of the invention, memory 210 and disk storage 218 may comprise a machine-readable medium and may include any medium capable of storing instructions adapted to be executed by a processor. Some examples of such media include, but are not limited to, read-only memory (ROM), random-access memory (RAM), programmable ROM, erasable programmable ROM, electronically erasable programmable ROM, dynamic RAM, magnetic disk (e.g., floppy disk and hard drive), optical disk (e.g., CD-ROM) and any other media that may store digital information. In one embodiment of the invention, the instructions are stored on the medium in a compressed and/or encrypted format. As used herein, the phrase “adapted to be executed by a processor” is meant to encompass instructions stored in a compressed and/or encrypted format, as well as instructions that have to be compiled or installed by an

installer before being executed by the processor. Further, system 200 may contain various combinations of machine-readable storage devices through various I/O controllers, which are accessible by processor 202 and which are capable of storing a combination of computer program instructions and data.

5 Memory 210 is accessible by processor 202 over bus 208 and includes an operating system 216, a program partition 212 and a data partition 214. In one embodiment of the invention, operating system 216 may comprise an operating system sold by Microsoft Corporation, such as Microsoft Windows<sup>®</sup> 95, 98, 2000 and NT, for example. Program partition 212 stores and allows execution by processor 202 of  
10 program instructions that implement the functions of each respective system described herein. Data partition 214 is accessible by processor 202 and stores data used during the execution of program instructions.

Program partition 212 may contain program instructions that may be collectively referred to herein as a monitored program module, a managing program module and a  
15 monitoring program module. Of course, the scope of the invention is not limited to this particular set of instructions or groupings of instructions.

In one embodiment of the invention, the monitored program module may reside in the program partition 212 of a system 200 operating as a network node that is part of network 102, such as network node 104, for example. The monitored program module  
20 operates to communicate with the managing program module to periodically request authorization to execute a target software program. A target software program as used herein may refer to any software application or program to be monitored for usage. In



one embodiment of the invention, the target software program may reside in program partition 212 of network node 104 with the monitored program module, for example.

In one embodiment of the invention, the monitored program module may comprise a combination of instructions added to a target software program and  
5 instructions stored as part of a usage library. The term “usage library” as used herein may refer to one or more predefined programming modules available for use by the target software program. In this embodiment of the invention, the predefined programming modules may perform the functions of creating a request for authorization to execute message, sending the request to the managing program, receiving an authorization  
10 message with a time interval, receiving a termination message, monitoring a clock to send another authorization message with a time interval, and so forth. Upon activation, the modified target software program may make software calls to one or more predefined programming modules that form the usage library at appropriate times during the execution cycle of the modified target software program. A software call may refer to a  
15 request by one program module for execution of instructions stored as part of another program module.

In one embodiment of the invention, the managing program module may reside in program partition 212 of a system 200 operating as the same or another network node that is part of network 102, such as network node 106, for example. The monitored  
20 program module operates to communicate with the monitored program module to authorize and track usage of the target software program. The managing program module also communicates with the monitoring program module to communicate usage time for

a monitored program. The term “usage time” as used herein refers to the length of time a monitored program is in authorized use or is being executed with authorization.

In one embodiment of the invention, the monitoring program module may reside in program partition 212 of a system 200 operating as a network server, such as network server 118, for example. The monitoring program module operates to communicate with the managing program module to receive time usage information and report the time usage information to an interested party. For example, the monitoring program module may use the time usage information to calculate a cost for using the target software program and bill the appropriate party accordingly.

In one embodiment of the invention, I/O adapter 204 may comprise a network adapter or network interface card (NIC) configured to operate using any suitable technique for controlling communication signals between computer or network devices using a desired set of communications protocols, services and operating procedures, for example. In one embodiment of the invention, I/O adapter 204 may operate, for example, in accordance with the TCP/IP Specification. Although I/O adapter 204 may operate in accordance with the TCP/IP Specification, it can be appreciated that I/O adapter 204 may operate with any suitable technique for controlling communication signals between computer or network devices using a desired set of communications protocols, services and operating procedures, for example, and still fall within the scope of the invention. I/O adapter 204 also includes appropriate connectors for connecting interface 216 with a suitable communications medium. I/O adapter 204 may receive communication signals over any suitable medium such as copper leads, twisted-pair wire, co-axial cable, fiber optics, radio frequencies, and so forth.

The operations of systems 100 and 200 may be further described with reference to FIGS. 3, 4 and 5 with accompanying examples. Although FIGS. 3, 4 and 5 presented herein may include a particular processing logic, it can be appreciated that the processing logic merely provides an example of how the general functionality described herein can be implemented. Further, each operation within a given processing logic does not necessarily have to be executed in the order presented unless otherwise indicated.

FIG. 3 is a block flow diagram of the programming logic performed by a managing program module in accordance with one embodiment of the invention. The term managing program module refers to the software and/or hardware used to implement the functionality for authorizing and recording the time a target software program is in authorized use or is being executed with authorization as described herein. In this embodiment of the invention, network node 106 may perform the functionality described with reference to the managing program module. It can be appreciated that this functionality, however, may be implemented by any device, or combination of devices, located anywhere in a communication network and still fall within the scope of the invention.

FIG. 3 illustrates a programming logic 300 that when executed by a processor, such as processor 202, may perform the functionality described therein. A determination is made as to whether a monitored program is authorized to execute at block 302. The term “monitored program” as used herein may include a target software program. A usage time for the monitored program is measured at block 304. The usage time is sent to a monitoring program at block 306.

In one embodiment of the invention, the determination at block 302 may be performed using a periodic authorization process. For example, a request for authorization to execute is received from the monitored program. The monitored program is authorized to execute for a time interval. The term "time interval" as used  
5 herein may refer to a time period during which the monitored program may be authorized to execute. The time interval is sent to the monitored program. This process may continue on a periodic basis until a terminating event has occurred. Once the terminating event occurs, the time intervals for each repeated process may be added together to form the usage time. For example, if three time intervals were sent to the monitored program  
10 prior to the terminating event, the three time intervals would be added together to form the usage time. It can be appreciated that the time intervals may be the same or different and still fall within the scope of the invention.

In one embodiment of the invention, the terminating event may comprise receiving a message indicating use or execution of the program has stopped. For  
15 example, the monitored program may receive an instruction to terminate execution by a user. Prior to terminating, the monitored program may send a message to the managing program indicating that the monitored program has received a terminating instruction and therefore will no longer be executing.

In one embodiment of the invention, the terminating event may comprise failing  
20 to receive another request for authorization to execute within the time interval. This may occur, for example, if the monitored program has prematurely terminated without time to send a termination message to the managing program, such as in the event of a power failure or computer malfunction.

In one embodiment of the invention, the monitored program and the managing program communicate with each other using a secure method. One example of a secure method may be an encryption/decryption scheme. For example, the monitored program and managing program may communicate to each other using messages

5 encrypted/decrypted in accordance with various security schemes. One embodiment of the invention may use a symmetric scheme, for example. A symmetric scheme as used herein may refer to a security scheme where both parties use the same security code or “key” to encrypt and/or decrypt a secure message. In one embodiment of the invention, the monitored program and managing program are configured to communicate

10 information using a symmetric scheme in accordance with the Data Encryption Standard (DES) or Triple DES (TDES) as defined by the National Institute of Standards and Technology, Federal Information Processing Standards Publication 46-3, October 25, 1995, and available from “<http://csrc.nist.gov/cryptval/des/desval.html>” (“DES Specification”), although the embodiments of the invention are not limited in this context.

15 Once a usage time has been determined, the managing program may send the usage time to a monitoring program. The monitoring program may reside at a computer or server other than the monitored program or the managing program, although the invention is not limited in this context. In one embodiment of the invention, the managing program and the monitoring program both reside at a computer or server

20 capable of communicating information in accordance with the TCP/IP Specification. More particularly, the managing program may request a connection formed in accordance with the Hypertext Transfer Protocol (HTTP) as defined by the IETF draft standard RFC 2616, June 1999 (“HTTP Specification), and the Secure HTTP (S-HTTP) as defined by

the IETF experimental standard RFC 2660, August 1999 ("S-HTTP Specification), both available from "[www.ietf.org](http://www.ietf.org)," although the embodiments of the invention are not limited in this context. Once connection is made, the usage time may be sent to the monitoring program over the connection.

5           Similar to the communications between the monitored program and the managing program, communications between the managing program and the monitoring program may be secure communications. One example of a secure method may be an encryption/decryption scheme. For example, the managing program and monitoring program may communicate to each other using messages encrypted/decrypted in  
10           accordance with various security schemes. One embodiment of the invention may use an asymmetric scheme. An asymmetric scheme as used herein may refer to a security scheme where both parties use different keys to encrypt and/or decrypt a secure message. In one embodiment of the invention, the managing program and monitoring program are configured to communicate information using an asymmetric scheme in accordance with  
15           the Secure Sockets Layer (SSL) Protocol Version 3.0 Internet draft as defined by the IETF, November 1996 ("SSL Specification"), or the Transport Layer Security (TLS) Protocol draft standard as defined by the IETF RFC 2246, January 1999 ("TLS Specification), both available from "[www.ietf.org](http://www.ietf.org)," although the embodiments of the invention are not limited in this context. Furthermore, the monitoring program may act  
20           as a single trusted source that may issue a certificate of authority for use by the managing program to, for example, authenticate the IP address for the monitored program, managing program or monitoring program.

It is worthy to note that although particular embodiments of the invention may use symmetric or asymmetric security schemes, it can be appreciated that any security scheme may be used to communicate information between the monitored program, the managing program and the monitoring program, and still fall within the scope of the  
5 embodiments of the invention.

The managing program may authorize execution for a monitored program in a number of different ways. For example, the managing program may have an authorization table in memory. The authorization table may include, for example, a name for the monitored program, whether the monitored program is authorized to execute, and  
10 a predetermined time interval associated with the monitored program. An example of an authorization table is shown in Table 1 below.

**TABLE 1**

<b><u>Monitored Program</u></b>	<b><u>Authorization</u></b>	<b><u>Time Interval</u></b>
Program 1	Yes	10 minutes
Program 2	Yes	1 hour
Program 3	Yes	1 day
Program 4	No	NA

15 Once the managing program receives a request for authorization to execute from the monitored program, the managing program may search the authorization table using the program name. Once the program name is found, the managing program may determine whether the monitored program is authorized to execute, and if so, it may

retrieve a predetermined time interval for the monitored program to execute. The managing program may then send the time interval to the monitored program.

For example, if the monitored program is identified as "Program 1," the managing program may use the authorization table to determine that Program 1 is authorized to execute, and retrieve the corresponding time interval of 10 minutes. The managing program may then send the time interval of 10 minutes to the monitored program. The monitored program would then know that it must send another request for authorization to execute message within 10 minutes to continue executing, or else it may be terminated. In another example, if the monitored program is identified as "Program 4," the managing program may use the authorization table to determine that Program 4 is not authorized to execute. The managing program may then respond in a number of ways, such as seeking authorization for the monitored program from the monitoring program, recording the number of attempts a monitored program seeks to request authorization, or send a termination message to the monitored program.

It can be appreciated that Table 1 is illustrative in nature and that the embodiments of the invention are not limited in this context. For example, the authorization table may omit a field for "Authorization" and merely use the field for "Time Interval" to imply whether authorization is granted. For example, the field for "Time Interval" may contain a default value that may be defined to mean authorization was not permitted, such as "NA" or "0".

Furthermore, it can be appreciated that the length of the time interval may vary according to a particular network or system configuration. As a general matter, the shorter the time interval the more accurate the usage time may be determined. For



example, if a monitored program were to terminate prematurely, a smaller time interval would approximate total usage time for the monitored program more accurately than a larger time interval. This may be particularly important if a user were charged for use of a monitored program based on the usage time, for example.

5 FIG. 4 is a block flow diagram of the programming logic performed by a monitored program module in accordance with one embodiment of the invention. The term monitored program module refers to the software and/or hardware used to implement the functionality for requesting authorization to execute, and if necessary terminating the monitored program, as described further herein. In this embodiment of  
10 the invention, network node 104 may perform the functionality described with reference to the monitored program module. It can be appreciated that this functionality, however, may be implemented by any device, or combination of devices, located anywhere in a communication network and still fall within the scope of the invention.

FIG. 4 illustrates a programming logic 400 that when executed by a processor,  
15 such as processor 202, may perform the functionality described therein. A determination is made as to whether a monitored program has authorization to execute at block 402. At block 404, the monitored program is executed in accordance with the determination at block 402.

In one embodiment of the invention, the determination at block 402 may comprise  
20 a query to a managing program. For example, the monitored program may send a message to the managing program requesting authorization to execute. The managing program may respond by sending the monitored program authorization to execute, along with a time interval for execution. This process may be repeated by having the monitored

program send another request for authorization prior to the received time interval. In other words, the monitored program may execute as long as it receives proper authorization from the managing program in the form of a received message with a time interval. Once the monitored program is finished executing, such as when it receives a request to terminate from a user, the monitored program may send a termination message to the managing program. The termination message may inform the managing program that execution of the monitored program has been terminated.

In one embodiment of the invention, the monitored program may be instructed to terminate if the monitored program fails to receive an authorization message and time interval from the managing program within a predetermined time period. The predetermined time period may be any desired period of time, e.g., 10 minutes. In another embodiment of the invention, the monitored program may be instructed to terminate if the monitored program fails to receive an authorization message and time interval from the managing program after a predetermined number of requests for authorization to execute without reply. In both cases, the failure to receive an authorization message from the managing program may indicate that the monitored program is no longer running in a secure environment and therefore reliable usage time may not be guaranteed by the monitoring process.

FIG. 5 is a block flow diagram of the programming logic performed by a monitoring program module in accordance with one embodiment of the invention. The term monitoring program module refers to the software and/or hardware used to implement the functionality for monitoring usage time for a monitored program as described herein. In this embodiment of the invention, network server 118 may perform

the functionality described with reference to the monitored program module. It can be appreciated that this functionality, however, may be implemented by any device, or combination of devices, located anywhere in a communication network and still fall within the scope of the invention.

5           FIG. 5 illustrates a programming logic 500 that when executed by a processor, such as processor 202, may perform the functionality described therein. A usage time for a monitored program is received over a network connection at block 502. The usage time may be reported to a user corresponding to the monitored program at block 504. For example, a user profile may be associated with each monitored program. The user profile  
 10           may contain, for example, information regarding authorized users of the monitored program, a person responsible for paying for use of the monitored program, costs associated with using the monitored program, a billing address for the responsible person, and so forth. The monitoring program may use the user profile to automatically  
 15           determine a cost value for use of the monitored program based on the usage time, and send a bill to the person responsible for paying for such use. The term “automatically” as used herein refers to performing the stated function without human intervention.

          In addition, the monitoring program may create, manage and update authorization tables for the managing program. For example, if a new monitored program were to be managed by the managing program, the appropriate information would be added to the  
 20           authorization table for the managing program. In one embodiment of the invention, this could be accomplished by sending the modifications to the managing program and having the managing program update its own authorization table. In another embodiment of the invention, the monitoring program may send a new authorization table to the managing

program to replace the previous authorization table. In both cases, the monitoring program may update the authorization on a periodic basis, or when the monitoring program receives a modification request from, for example, the managing program or an authorized user as defined in the user profile.

- 5           While certain features of the embodiments of the invention have been illustrated as described herein, many modifications, substitutions, changes and equivalents will now occur to those skilled in the art. It is, therefore, to be understood that the appended claims are intended to cover all such modifications and changes as fall within the true spirit of the embodiments of the invention.

10

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
220